Datasheet

# BY70-3G

### UHF 450 MHz Two element Yagi Antenna

BY70-3G is a 2 element Yagi antenna with 3 dBd Gain.

- Wideband Balun unit made of Polypropylene (PP).
- Radiating elements, supporting booms and adjoining metal castings are constructed in high quality aluminum to prevent corrosion.



#### **ELECTRICAL SPECIFICATIONS**

Antenna Type	2-element Yagi antenna
Frequency	T: 380 - 430 MHz 400 - 475 MHz
Bandwidth	T: 50 MHz 75 MHz
Impedance	50 Ohm
VSWR	<1.5:1
Polarisation	Linear (Vertical or Horizontal)
Gain	3 dBd, 5.15 dBi
Half-Power Beamwidth	E-Plane: 85° H-Plane: 130°
Front-To-Back Ratio	>16 dB
Max. Input Power	150 Watt
Antistatic Protection	Direct ground

Printed: 5/20/2024

## Datasheet

### **MECHANICAL SPECIFICATIONS**


Color	Black Grey (RAL7021)
Dimensions	600 x 450 mm
Weight	2.0 kg
Mount Type	Fixed Tube Bracket in Galvanized Iron (included)
Mounting Place	On tube (Ø 20 - 65 mm, vertical or horisontal)
Survival Wind Speed	55 m/s
Materials	Aluminum 6063-T5, PP and Brass
Connector	Type N-female
Pigtail	Approx. 0.5 m RG213/U
Serial Number	On product label

### ORDERING INFORMATION

BY70-3GT	380 - 430 MHz In Box
BY70-3G	400 - 475 MHz In Box

Printed: 5/20/2024

Datasheet



90

Printed: 5/20/2024

Datasheet

