GP-1870

0 dBd Ground Plane Antenna 380 - 500 MHz

- Customer frequency for factory tuning
- Heavy duty construction



ELECTRICAL SPECIFICATIONS

Antenna Type	1/4 λ Ground Plane Antenna
Frequency	380 - 500 MHz
Bandwidth	30 MHz - Customer defined center frequency
Impedance	50 Ohm
VSWR	< 1.5:1
Polarisation	Vertical
Gain	0 dBd, 2.15 dBi
Max. Input Power	30 W
Antistatic Protection	Direct Ground

MECHANICAL SPECIFICATIONS


Color	Silver and black
Height	Max. 200 mm
Weight	Max. 0.5 kg
Mounting	On top of pole - min. internal dia. Ø 31.0 mm (with M6 screws)
Materials	Aluminum, PP & PVC
Survival Wind Speed	45 m/s
Operating Temperature	-40°C to +60°C
Cable	5.0 m RG58
Connector	TNC-male


Disclaimer: Here you find all products for a complete antenna system. One-stop supplier with focus on high quality products produced in EU. No matter which type of antenna you are searching for, you will find it here. Every effort has been made to ensure the accuracy of the information in this product sheet. Scan Antenna reserves the right to introduce changes to this information without notice. All rights reserved.

ORDERING INFORMATION

GP-1870	Antenna in Box

Disclaimer: Here you find all products for a complete antenna system. One-stop supplier with focus on high quality products produced in EU. No matter which type of antenna you are searching for, you will find it here. Every effort has been made to ensure the accuracy of the information in this product sheet. Scan Antenna reserves the right to introduce changes to this information without notice. All rights reserved.





Disclaimer: Here you find all products for a complete antenna system. One-stop supplier with focus on high quality products produced in EU. No matter which type of antenna you are searching for, you will find it here. Every effort has been made to ensure the accuracy of the information in this product sheet. Scan Antenna reserves the right to introduce changes to this information without notice. All rights reserved.