Printed: 12/1/2025

Datasheet


TELESAT-5

Rugged low profile multiband antenna

Heavy duty omni-directional 5-BAND antenna for through-hole roof mounting on trucks, trailers etc.

- LOW PROFILE DESIGN
- NO GROUNDPLANE NEEDED
- 5 BANDS IN ONE INSTALLATION









Printed: 12/1/2025

Datasheet

MECHANICAL SPECIFICATIONS

Color	Black
Height	16 mm
Weight	125 g
Diameter	Ø 92 mm
Mounting	Bolt-on with adhesive for effective sealing
Mounting Place	On horizontal surface (Max. panel thickness 3 mm with cables to the side or 12 mm with cables straight out of the antenna)
Mounting Instruction	Unobstructed view to satellites
Mounting hole	Ø 13 - 20 mm
Build-in Depth	Approx. 17 mm
Materials	ABS, PE, brass and PCB
Operating Temperature	-40°C to +70°C
Connectors	SMA-female (Other types available)
Cable	0.15 m (Other lengths available)
Ingress protection	IP65 (When mounted)

ORDERING INFORMATION

P/N	45500
P/N	45500IP (Bulk packing)
P/N	45501IP 2,5 m cable + FME-female - Bulk packing)

PACKAGING INFORMATION

Туре	Bulk packing or individually packing in Polybag (See "Part No.")
------	--

Printed: 12/1/2025

Datasheet

