Printed: 12/22/2025

Datasheet

# BY300-9G

### UHF Low 300 MHz Five element Yagi Antenna

BY300-9G is a 5 element Yagi antenna with 9 dBd Gain.

- Low Loss and Wideband Gamma match.
- Radiating elements, supporting booms and adjoining metal castings are constructed in high quality aluminum to prevent corrosion.

### **ELECTRICAL SPECIFICATIONS**

| Antenna Type            | 5-element Yagi Antenna          |
|-------------------------|---------------------------------|
| Frequency               | 280- 330MHz                     |
| Bandwidth               | 50 MHz                          |
| Impedance               | 50 Ohm                          |
| VSWR                    | <1.5:1                          |
| Polarisation            | Linear (Vertical or Horizontal) |
| Gain                    | 9 dBd, 11.15 dBi                |
| Half-Power<br>Beamwidth | ТВА                             |
| Front-To-Back Ratio     | > 20 dB                         |
| Max. Input Power        | 150 Watt                        |
| Antistatic Protection   | Direct ground                   |


## MECHANICAL SPECIFICATIONS

| Color               | Black Grey (RAL7021)                           |
|---------------------|--|
| Dimensions          | 1400 x 520 mm                                  |
| Weight              | 2.3 kg   |
| Mount Type          | Fixed tube mounting bracket (included)         |
| Mounting Place      | On tube (Ø 20 - 65 mm, vertical or horizontal) |
| Survival Wind Speed | 55 m/s   |
| Connector           | Type N-female                                  |
| Pigtail             | Approx. 0.5 m RG213/U                          |
| Serial Number       | On product label                               |

Printed: 12/22/2025

Datasheet

#### ORDERING INFORMATION



Printed: 12/22/2025

Datasheet

